

- \* Automated geodynamic diagnostics
- \* Analysis & Publication Mode
- \* Clear and focussed plot design
- \* Light & Dark Mode
- \* Scientific colour maps
- \* Publication-ready figures & movies

- ✓ Inclusive
- ✓ Free to use
- ✓ Easy to use
- ✓ Forward compatible
- ✓ Citable & reproducible


Crameri, F. (2017), StagLab, Zenodo, [doi:10.5281/zenodo.1199037](https://doi.org/10.5281/zenodo.1199037)

Crameri, F. (2018), Geodynamic diagnostics, scientific visualisation and StagLab 3.0, Geosci. Model Dev., 11, 2541-2562, [doi:10.5194/gmd-11-2541-2018](https://doi.org/10.5194/gmd-11-2541-2018)

---


\* [www.fabiocrameri.ch/StagLab](http://www.fabiocrameri.ch/StagLab)

### Tectonics




a

### Topography



b

### Viscosity



Geodynamic diagnostics & scientific visualization  
Made simple.

[www.fabiocrameri.ch/StagLab](http://www.fabiocrameri.ch/StagLab)



# Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>Creators</b>                             | <b>4</b>  |
| <b>2</b> | <b>Acknowledgement</b>                      | <b>5</b>  |
| <b>3</b> | <b>Instructions</b>                         | <b>6</b>  |
| 3.1      | Prerequisites . . . . .                     | 6         |
| 3.2      | Installing . . . . .                        | 6         |
| 3.3      | Testing . . . . .                           | 6         |
| 3.4      | Running . . . . .                           | 6         |
| 3.5      | Making use of StagLab diagnostics . . . . . | 8         |
| 3.6      | Acknowledging StagLab . . . . .             | 8         |
| 3.7      | More detailed information . . . . .         | 8         |
| <b>4</b> | <b>Version history</b>                      | <b>8</b>  |
| <b>5</b> | <b>Reference</b>                            | <b>11</b> |
| <b>6</b> | <b>Contributing</b>                         | <b>11</b> |
| <b>7</b> | <b>License</b>                              | <b>12</b> |

## 1 Creators

Author: [Fabio Crameri](#)

Contributors: [Boris Kaus](#) – Original version of *f\_readStagYY* to read StagYY's binary output directly into MatLab

[Paul Tackley](#) – Original version of *f\_YYtoMap* to produce horizontal maps of fully spherical yinyang data

[Oliver Woodford](#) – The routine *export\_fig* to add more flexibility to figure saving

[Kirill K. Pankratov](#) – The routines *flowfun* and *cumsimp* to derive the stream function and to perform the Simpson-rule column-wise cumulative summation, respectively

[Fanny Garel](#) – Original version of *f\_readFluidity* to read Fluidity's CSV output into MatLab

[Kiran Chotalia](#) – Original version of *f\_readStagYYhdf5* to read StagYY's HDF5 output into MatLab

[Nima Moshtagh](#) – The routine *MinVolEllipse* to fit a minimum-volume ellipse around a point cloud

[Neil Tandon](#) – Original version of *hatchfill2* to fill areas with a specific texture

[Kelly Kearney](#) – Original version of *plotboxpos* to return the position of the plot more accurately and reliably

[Peter Kovesi](#) – A few routines including *equalisecolourmap.m* and *sineramp2.m* to provide the scientific colour-map diagnostics

[Tobias Rolf](#) – Help with with StagLab's surface variation histogram plot

[Robert Petersen](#) – Help with StagLab's diagnostics of the radius of curvature for the plate bending

[Marcel Thielmann](#) – Help with StagLab's compatibility across different MatLab versions

Debugging: [Kiran Chotalia](#); [Antoniette Greta Grima](#); [Enrico Marzotto](#)

## 2 Acknowledgement

! → Please acknowledge the free use of StagLab, its individual routines, or the included automated diagnostics.

*e.g., "The software StagLab (Crameri 2017) is used in this study to post-process and visualise the geodynamic models (Crameri 2018)."*

The software : **Crameri, F. (2017), StagLab, Zenodo, [doi:10.5281/zenodo.1199037](https://doi.org/10.5281/zenodo.1199037)**

The research : **Crameri, F. (2018), Geodynamic diagnostics, scientific visualisation and StagLab 3.0, Geosci. Model Dev., 11, 2541-2562, [doi:10.5194/gmd-11-2541-2018](https://doi.org/10.5194/gmd-11-2541-2018)**

## 3 Instructions

### 3.1 Prerequisites

StagLab necessitates a working version of **MatLab 2014b or later**.

StagLab works best with the latest version of MatLab as earlier versions might disable multiple StagLab features and might cause problems as compatibility is not maintained carefully any longer.

### 3.2 Installing

To install StagLab, simply execute the included `f_INSTALL`. This can be done in the MatLab terminal by typing:

```
cd <yourPath>/StagLab3
f_INSTALL
```

Alternatively, add all StagLab files manually to the MatLab search path (in MatLab go to: HOME > Set Path > Add With Subfolders).

! → It is best practise to delete old StagLab versions.

StagLab removes, however, file duplicates from the MatLab search path and so prevents confusion with old files.

### 3.3 Testing

To test StagLab on your system, simply execute the included `f_TEST`. This can be done in the MatLab terminal by typing:

```
cd <yourPath>/StagLab3
f_TEST
```

This automated test performs various core tasks of StagLab and produces a suite of test figures that are saved to `StagLab > Examples > ExampleFigures`.

### 3.4 Running

StagLab is run from parfiles (see folder `/Parfiles`). Use one of the parfiles included (e.g., `ParStagLab2D`) to set your parameters and to run one of the main StagLab Apps (`SL_FieldPlot` for parameter fields, `SL_RadialProfile` for radial profiles, `SL_TimeGraph` for time evolutions). See `f_Defaults`, `f_DefaultsRprof`, or `f_DefaultsTimedat` for all available options available with the corresponding parfile.

|           | Parameter fields                             | Radial profiles  | Time graphs       |
|-----------|--|------------------|-------------------|
| Execution | ParStagLab2D<br>ParStagLab3D<br>ParStagLabYY | ParStagLabRprof  | ParStagLabTimedat |
| Defaults  | f_Defaults                                   | f_DefaultsRprof  | f_DefaultsTimedat |
| Routine   | SL_FieldPlot                                 | SL_RadialProfile | SL_TimeGraph      |

- \* *Tip:* You can run your parfile from any directory you like.
- \* *Tip:* You will always be able to re-use your old parfiles to run newer versions of StagLab.

Adjust file name, number and directory with:

```
IN.Name      =  {'test'};
IN.Number    =  [1];
IN.Folder    =  {'/work/stagyy/'};
```

- \* *Tip:* Given the above `IN.Folder`, StagLab checks automatically also for the following folder-structures to read:

```
/<YourFolder>/+op/<fileToRead>
/<YourFolder>/+op/<filename>/<fileToRead>
```

and write:

```
/<YourFolder>/+im/<fileToSave>
/<YourFolder>/+im/<filename>/<fileToSave>
```

- \* *Tip:* It is possible to plot or compare multiple files in the same figure by simply adding another file name.

`IN.Name` controls which and how many files are plotted. To plot three different files all for the first output number:

```
IN.Name      =  { 'test1' 'test2' 'test3'};
IN.Number    =  [ 1 ];
IN.Folder    =  {'/folder1/' '/folder2/' '/folder3/'};
```

To plot multiple time steps of one single model:

```
IN.Name      =  { 'test1' 'test1' 'test1'};
IN.Number    =  [ 1 2 3 ];
IN.Folder    =  { '/folder_test1/'};
```

If there is just one entry for either `IN.Number` or `IN.Folder`, it will take the same entry for all files specified in `IN.Name`.

Adjust the dimensional parameters in the parfile for correct dimensionalisation according to `f_Dimensions`.

```
IN.Parameter =  [ 11 ];
```

StagLab saves the publication-ready figures and movies, if:

```
SAVE.Figure  =  logical(1);
SAVE.Movie   =  logical(1);
```

To specify a certain write directory change the default:

```
SAVE.writeDirectory =  'auto';
```

to e.g.:

```
SAVE.writeDirectory =  '/work/stagyy/';
```

### 3.4.1 Preparing Fluidity output

To make readable by StagLab, the original Fluidity output needs to be converted to a `.csv` file using e.g., Paraview. Adjust StagLab's `f_readFluidity` to the specific details of the `.csv` file.

### 3.5 Making use of StagLab diagnostics

To make use of StagLab's extensive, automated geodynamic diagnostics, make sure to switch on `SWITCH.PlateDiagnostics` and/or `SWITCH.MantleDiagnostics`. StagLab offers multiple ways to easily access the resulting model diagnostics, which are performed on the fly during its execution.

MatLab terminal : The live terminal output offers a quick overview over the multiple numeric and geophysical characteristics of the current model snapshot(s).

StagLab output data files : StagLab optionally offers externally stored data files (optionally in various data file formats) that contain relevant geodynamic diagnostics. Using `SAVE.GeodynamicsDiagnostics`, data files are saved for each processed time step that allow, once created, to be replotted within StagLab using the `PLOT.CustomGraph`. The Custom Graph option allows to plot graphs of all StagLab diagnostics (e.g., trench position over time) in conjunction with all other field plots.

**\* Tip:** To save StagLab diagnostics over multiple model time snapshots, use `SWITCH.QuickMode` to more efficiently create all data files.

### 3.6 Acknowledging StagLab

! → Please acknowledge the free use of StagLab, its individual routines, or the included automated diagnostics.

Use, for example: *"The software StagLab (Crameri 2017) is used in this study to post-process and visualise the geodynamic models (Crameri 2018)."*

Crameri, F. (2017), StagLab, Zenodo, [doi:10.5281/zenodo.1199037](https://doi.org/10.5281/zenodo.1199037)

Crameri, F. (2018), Geodynamic diagnostics, scientific visualisation and StagLab 3.0, *Geosci. Model Dev.*, 11, 2541-2562, [doi:10.5194/gmd-11-2541-2018](https://doi.org/10.5194/gmd-11-2541-2018)

### 3.7 More detailed information

See [Crameri \(2018, GMD\)](#).

## 4 Version history

- StagLab 5 :
- Introducing continent diagnostics
  - Introducing LLSVP diagnostics
  - Introducing slab-tip diagnostics
  - Introducing horizontal mantle flow diagnostics
  - Introducing panel
  - Introducing transparent figure background
  - Introducing automated error logging
  - Introducing categorical Scientific Colour Maps
  - Introducing journal-specific plot design



- Introducing user guide
- Additional StagLab-data output
- Improvements and extensions to YinYang mode
- Additional parameter field additions
- Option to make difference plot with vector data
- Less interruptive updating of old parfiles
- Improved Windows compatibility
- Special character fix for Windows
- Improved code design
- Stability and speed improvements for loop mode
- Bug fixes

- StagLab 4 :
- Re-introducing multi-subduction-zone tracking
  - Introducing plume-mobility diagnostics
  - Improved Windows compatibility
  - Improved compatibility with latest StagYY version
  - Improved handling of 3-D spherical models
  - Additional parameter fields
  - Extended suite of scientific colour-maps
  - Analysis mode for SL\_RadialProfile and SL\_TimeGraph
  - Flexibility extensions to SL\_RadialProfile and SL\_TimeGraph
  - Automatic fixing of corrupt time.dat files
  - Stability improvements
  - Bug fixes

- StagLab 3 :
- Introducing automated installation and testing
  - Introducing 2-D mode for 3-D
  - Introducing analysis mode
  - Introducing tracer plot
  - Introducing surface-variation histogram plot
  - Introducing topography diagnostics
  - Introducing perceptually-uniform colour schemes
  - Option to discretise colour maps
  - Option to set default figure position on screen
  - Option to shift or flip data horizontally
  - Support for partial cylindrical geometry
  - Magnifier support for cylindrical geometry
  - Additional parameter fields
  - Additional plate diagnostics

- Major improvements to SL\_RadialProfile and SL\_TimeGraph
- Compatibility with Fluidity output
- Refined visual design
- Improved file finder
- Improved code design
- Improved speed
- Bug fixes

- StagLab 2 :
- Introducing mantle-dynamics diagnostics
  - Introducing tectonic diagnostics
  - Introducing topography components (isostatic,residual)
  - Introducing plot for up- and downwelling
  - Introducing parameter table
  - Introducing plot-in-plot mode
  - Introducing movies
  - Introducing fAlo
  - More parameter fields added
  - Automatic detection of side-boundary v-condition
  - Less-disruptive error handling
  - Cleaner plot design and layout
  - Improved colormaps
  - Improved filefinder
  - Improved display output
  - Improved stability of design-routines
  - Improved saving and plotting of tectonic data
  - Convertibility improvements with other geodynamic codes
  - Bug fixes

- StagLab 1 :
- Combining Apps to StagLab
  - Support of all available StagYY model geometries
  - Support of all available StagYY output
  - YinYang horizontal maps
  - Hot and cold plume tracking
  - Beta version of 3-D Cartesian plate-boundary tracking
  - Code speed optimisations: deriving lithosphere thickness
  - Horizontal residual temperature plot
  - Heat flux plot
  - Plot for temporal evolution of tectonic parameters
  - Option added to save figure to specific directory

- Improved code design
- Improved user friendliness
- Bug fixed that led to empty plate sketch plot
- Bug fixes and updates to the dimensionalisation

## 5 Reference

Crameri, F. (2018), Geodynamic diagnostics, scientific visualisation and StagLab 3.0, *Geosci. Model Dev.*, 11, 2541-2562, [doi:10.5194/gmd-11-2541-2018](https://doi.org/10.5194/gmd-11-2541-2018)

## 6 Contributing

Please forward contributions, bug reports, requests, and general questions to [Fabio Crameri](#).

## 7 License

**StagLab, its individual subroutines and the included Scientific Colour Maps are licensed under a [MIT License](#)**

Copyright (c) 2020, Fabio Crameri

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

